

DATA SHEET

T CELL SUBSET ASSAYS

CONTENTS

1. Microfluidic cartridge with lyse or non-lyse buffer
2. Dried reagents in tube

STORAGE

Dry cool place protected from light

DESCRIPTION

MARKER	FLUOROPHORE	CLONE
CD45	PE/Cyanine7	HI30
CD3	PE/Cyanine5	UCHT-1
CD4	PE	RPA-T4
CD8	PE/Dazzle™ 594	RPA-T8
Viability dye	DiYO-3	N/A
Count beads	N/A	N/A

The Accellix Platform automates your entire GMP cell phenotyping process from sample preparation to data acquisition and analysis, to generate rapid results directly in the manufacturing suite. Central to our enabling technology are standard and custom assays. These assays enable sample preparation in a stable, single-use microfluidic cartridge using unitized and dried reagents that are stable at ambient temperatures. The dried reagent also has control beads, enabling cell counting and in-run QC for every assay. Each assay incorporates an Accellix cartridge with a unique QR code, simplifying the workflow and reducing the chances for human error.


INTENDED USE

The T Cell Subset assays are used for the enumeration (frequencies and counts) of various T cell subsets including, viable CD45+ leukocytes, CD3+ T cells, CD4+ T helper cells, and CD8+ cytotoxic T cells. The lyse (L) assays may be used for staining apheresis, whole blood, and other samples that require differential RBC (red blood cell) lysis, while the non-lyse version may be used for staining purified white blood cells. N-1 and N-2 test kits contain only CD45 and CD3 antibodies, enabling customers to add AF488 and/or PE-conjugated liquid antibodies to test on the Accellix Platform. The assays have been formulated to process samples with cell concentrations ranging between 1-50 million cells/mL. A detailed protocol on how to run the Accellix assays can be found in the Accellix Assay Kit Instructions for Use.

KEY BENEFITS

- + Each assay incorporates an Accellix cartridge with a unique QR code, simplifying the workflow and reducing the chances for human error.
- + Unitized, dried-down reagents are stable at ambient temperature, and increase repeatability and accuracy.
- + Each assay contains a viability dye and count beads, obviating the need for separate viable cell counting and providing in-run QC.

DATA SHEET



IMMUNO-TROL control blood was stained with T Cell RTF Assay (L)

CATALOG NUMBER	ASSAY NAME	DESCRIPTION	CONTENTS
A1000-1L	T Cell RTF Assay (L)	Full T Cell panel with lysis buffer for apheresis or samples requiring RBC lysis	CD45-AF488, CD3-PECy5, CD4-PE, CD8-PED594, DiYO-3 Viability, Control Beads
A1000-1NL	T Cell RTF Assay (NL)	Full T Cell panel with non-lyse buffer for purified cells or drug product	CD45-AF488, CD3-PECy5, CD4-PE, CD8-PED594, DiYO-3 Viability, Control Beads
A1001-1L	T Cell N-I AF488 RTF Test Kit (L)	Basic T cell panel with lysis buffer for apheresis or samples requiring RBC lysis; user adds liquid AF488 conjugate antibody	CD45-PECy7, CD3-PECy5, DiYO-3 Viability, Control Beads (liquid AF488 conjugate added by user)
A1001-1NL	T Cell N-I AF488 RTF Test Kit (NL)	Basic T cell panel with non-lyse buffer for purified cells or drug product; user adds liquid AF488 conjugate antibody	CD45-PECy7, CD3-PECy5, DiYO-3 Viability, Control Beads (liquid AF488 conjugate added by user)
A1001-2L	T Cell N-I PE RTF Test Kit (L)	Basic T cell panel with lysis buffer for apheresis or samples requiring RBC lysis; user adds liquid PE conjugate antibody	CD45-PECy7, CD3-PECy5, DiYO-3 Viability, Control Beads (liquid PE conjugate added by user)
A1001-2NL	T Cell N-I PE RTF Test Kit (NL)	Basic T cell panel with non-lyse buffer for purified cells or drug product; user adds liquid PE conjugate antibody	CD45-PECy7, CD3-PECy5, DiYO-3 Viability, Control Beads (liquid PE conjugate added by user)
A1001-3L	T Cell N-2 AF488 PE RTF Test Kit (L)	Basic T cell panel with lysis buffer for apheresis or samples requiring RBC lysis; user adds liquid AF488 and PE conjugate antibody	CD45-PECy7, CD3-PECy5, DiYO-3 Viability, Control Beads (liquid AF488 and PE conjugates added by user)
A1001-3NL	T Cell N-2 AF488 PE RTF Test Kit (NL)	Basic T cell panel with non-lyse buffer for purified cells or drug product; user adds liquid AF488 and PE conjugate antibody	CD45-PECy7, CD3-PECy5, DiYO-3 Viability, Control Beads (liquid AF488 and PE conjugates added by user)